Test Bank Questions IT242: Software Engineering

- 1. Which question no longer concerns the modern software engineer?
 - a) Why does computer hardware cost so much?
 - b) Why does software take a long time to finish?
 - c) Why does it cost so much to develop a piece of software?
 - d) Why can't software errors be removed from products prior to delivery?
- 2. Software is a product and can be manufactured using the same technologies used for other engineering artifacts
 - a) True
 - b) False
- 3. Software deteriorates rather than wears out because
 - a) Software suffers from exposure to hostile environments
 - b) Defects are more likely to arise after software has been used often
 - c) Multiple change requests introduce errors in component interactions
 - d) Software spare parts become harder to order
- 4. WebApps are a mixture of print publishing and software development, making their development outside the realm of software engineering practice.
 - a) True
 - b) False
- 5. There are no real differences between creating WebApps and MobileApps.
 - a) True
 - b) False
- 6. In its simplest form an external computing device may access cloud data services using a web browser.
 - a) True
 - b) False
- 7. Product line software development depends on the reuse of existing software components to provide software engineering leverage.
 - a) True
 - b) False

- 8. Cloud computing will transform the way in which software is ______.
 - a) Delivered
 - b) Defined
 - c) Deleted
 - d) Ordered
- 9. Legacy systems often evolve for the following reasons:
 - a) The software must be adapted to meet the needs of new computing environments or technology.
 - b) The software must be enhanced to implement new business requirements.
 - c) The software must be extended to make it interoperable with other more modern systems or databases.
 - d) All of the above
- 10. If you want to reduce software deterioration, you'll have to do better _____.
 - a) Research
 - b) Collaboration
 - c) Thinking
 - d) Software design
- 11. Software is both a _____ and a vehicle that delivers a _____.
 - a) Product
 - b) Process
 - c) Design
 - d) Concept
- 12. Every ______ indicates an error in design or in the process through which design was translated into machine executable code.
 - a) Hardware failure
 - b) Miscalculation
 - c) Software failure
 - d) Engineering mistake
- 13. Every software engineer must recognize that
 - a) They are the ultimate authority on software design
 - b) Change is natural
 - c) Clients know little about what they need
 - d) Collaboration is unimportant

- 14. All of these are a category of software except
 - a) Collaboration software
 - b) Product line software
 - c) Application software
 - d) Embedded software
- 15. The implementation of cloud computing requires the development of an architecture that encompasses ______ and _____ services.
 - a) Good; bad
 - b) Complete; incomplete
 - c) Collaborative; combative
 - d) Front-end; back-end
- 16. A software product line is a set of software-intensive systems that share a common, managed ______:
 - a) Set of problems
 - b) Set of products
 - c) Set of features
 - d) Set of lines
- 17. All of the following have contributed to the increasing importance of software over the last half-century except:
 - a) Dramatic improvements in hardware performance
 - b) Increased wealth in developing nations
 - c) Profound changes in computing architecture
 - d) Vast increases in memory

- 1. Which of the items listed below is not one of the software engineering layers?
 - a. Process
 - b. Manufacturing
 - c. Methods
 - d. Tools
- 2. Software engineering umbrella activities are only applied during the initial phases of software development projects.
 - a. True
 - <mark>b. False</mark>
- 3. Which of these are the 5 generic software engineering framework activities?
 - a. communication, planning, modeling, construction, deployment
 - b. communication, risk management, measurement, production, reviewing
 - c. analysis, designing, programming, debugging, maintenance
 - d. analysis, planning, designing, programming, testing
- 4. Planning ahead for software reuse reduces the cost and increases the value of the systems into which they are incorporated.
 - a. True
 - b. False
- 5. The essence of software engineering practice might be described as understand the problem, plan a solution, carry out the plan, and examine the result for accuracy.
 - a. True
 - b. False
- 6. In agile process models the only deliverable work product is the working program.
 - a. True
 - b. False
- 7. A most software development projects are initiated to try to meet some business need.
 - a. True
 - b. False
- 8. In general software only succeeds if its behavior is consistent with the objectives of its designers.
 - a. True
 - <mark>b. False</mark>

- 9. If software has value, it will change over its useful life. For that reason, software must be built to be maintainable.
 - a. maintainable
 - b. disposable
 - c. broken
 - d. tested
- 10. The seven principles Hooker proposes for software engineering as a practice are:
 - a. Communication, planning, modeling, construction, deployment, re-design, remodel
 - b. The reason it all exists; KISS; maintain the vision; what you produce, others will consume; be open to the future; plan ahead for reuse; think!
 - c. The reason it all exists; KISS; maintain the vision; what you produce, others will consume; analysis; design; program
 - d. Analysis; planning; maintain the vision; what you produce, others will consume; be open to the future; plan ahead for reuse; think!
- 11. Polya's essence of problem solving and the essence of software engineering practice includes:
 - a. Understand the solution, Plan a problem, Carry out a plan, Examine the response
 - b. Understand the review, Plan a solution, Carry out the plan, Examine the result for accuracy
 - c. Understand the problem, Plan a solution, Carry out the problem, Examine criticism
 - d. Understand the problem, Plan a solution, Carry out the plan, Examine the result for accuracy
- 12. Software process ______ is essential for project success.
 - a. communication
 - b. planning
 - c. adaptation
 - d. modeling

13. Both quality and ______ are an outgrowth of good design.

- <mark>a. maintainability</mark>
- b. communication
- c. review
- d. criticism

14. Understand the ______ before you build a ______.

- a. Communication; deployment
- b. Problem; solution
- c. Design; framework
- d. Question; answer
- 15. Recognition of software realities is the first step toward formulation of practical ____ for software engineering.
 - a. ideas
 - b. questions
 - c. solutions
 - d. reviews
- 16. Myth or reality? The only deliverable work product for a successful project is the working program.
 - <mark>a. Myth</mark>
 - b. Reality
- 17. Myth or reality? One of the most effective software quality assurance mechanisms can be applied from the inception of a project— the technical review.
 - a. Myth
 - b. Reality
- 18. Myth or reality? Software requirements continually change, but change can be easily accommodated because software is flexible.
 - a. Myth
 - b. Reality

- 1. Human aspects of software engineering are not relevant in today's agile process models.
 - a) True
 - <mark>b) False</mark>
- 2. Which of the following is not an important trait of an effective software engineer?
 - a) Attentive to detail
 - b) Brutally honest
 - c) Follows process rule dogmatically
 - d) Resilient under pressure
- 3. Group communication and collaboration are as important as the technical skills of an individual team member to the success of a team.
 - <mark>a) True</mark>
 - b) False
- 4. Teams with diversity in the individual team member skill sets tend to be more effective than teams without this diversity.
 - <mark>a) True</mark>
 - b) False
- 5. Which of the following can contribute to team toxicity?
 - a) Frenzied work atmosphere
 - b) Inadequate budget
 - c) Poorly coordinated software process
 - d) Unclear definition of team roles
 - <mark>e) a,b,d</mark>
- 6. Software engineering team structure is independent of problem complexity and size of the expected software products.
 - a) True
 - <mark>b) False</mark>
- 7. Agile teams are allowed to self-organize and make their own technical decisions.
 - <mark>a) True</mark>
 - b) False
- 8. In XP a metaphor is used as a device to facilitate communications among customers, team members, and managers?
 - <mark>a) True</mark>
 - b) False

- 9. Using an established social media platform negates the need to be concerned about privacy or security.
 - a) True
 - b) False
- 10. Use of cloud services can speed up information sharing among software team members?
 - <mark>a) True</mark>
 - b) False
- 11. In collaborative development environments, metrics are used to reward and punish team members.
 - a) True
 - <mark>b) False</mark>
- 12. Which of these factors complicate decision-making by global software teams?
 - a) Complexity of problem
 - b) Different views of the problem
 - c) Law of unintended consequences
 - d) Risk associated with decision
 - e) All of the above.

- 13. Software engineering principles have about a three year half-life.
 - a) True
 - <mark>b) False</mark>
- 14. Which of the following is not one of core principles of software engineering practice?
 - a) All design should be as simple as possible, but no simpler.
 - b) A software system exists only to provide value to its users.
 - c) Pareto principle (20% of any product requires 80% of the effort).
 - d) Remember that you produce others will consume
- 15. Every communication activity should have a facilitator to make sure that the customer is not allowed to dominate the proceedings.
 - a) True
 - <mark>b) False</mark>
- 16. The agile view of iterative customer communication and collaboration is applicable to all software engineering practice.
 - <mark>a) True</mark>
 - b) False
- 17. One reason to involve everyone on the software team in the planning activity is to
 - a) adjust the granularity of the plan
 - b) control feature creep
 - c) get all team members to "sign up" to the plan
 - d) understand the problem scope
- 18. Project plans should not be changed once they are adopted by a team.
 - a) True
 - <mark>b) False</mark>
- 19. Requirements models depict software in which three domains?
 - a) architecture, interface, component
 - b) cost, risk, schedule
 - c) information, function, behavior
 - d) None of the above
- 20. The design model should be traceable to the requirements model?
 - <mark>a) True</mark>
 - b) False
- 21. Teams using agile software practices do not generally create models.
 - a) True
 - b) False

- 22. Which of the following is not one of the principles of good coding?
 - a) Create unit tests before you begin coding
 - b) Create unit tests before you begin coding
 - c) Refractor the code after you complete the first coding pass
 - d) Write self-documenting code, not program documentation
- 23. A successful test I ones that discovers at least one as-yet undiscovered error.
 - <mark>a) True</mark>
 - b) False
- 24. Which of the following are valid reasons for collecting customer feedback concerning delivered software?
 - a) Allows developers to make changes to the delivered increment
 - b) Delivery schedule can be revised to reflect changes Law of unintended consequences
 - c) Developers can identify changes to incorporate into next increment
 - d) All of the above.
- 25. Larger programming teams are always more productive than smaller teams.
 - a) True
 - <mark>b) False</mark>

- 1. Requirements engineering is a generic process that does not vary from one software project to another.
 - <mark>a) True</mark>
 - b) False
- 2. During project inception the intent of the of the tasks are to determine
 - a) basic problem understanding
 - b) nature of the solution needed
 - c) people who want a solution
 - d) none of the above
 - <mark>e) a, b, c</mark>
- 3. Three things that make requirements elicitation difficult are problems of
 - a) budgeting
 - b) scope
 - c) understanding
 - d) volatility
 - <mark>e) b,c,d</mark>
- 4. A stakeholder is anyone who will purchase the completed software system under development.
 - a) True
 - <mark>b) False</mark>
- 5. It is relatively common for different customers to propose conflicting requirements, each arguing that his or her version is the right one.
 - <mark>a) True</mark>
 - b) False
- 6. Which of the following is not one of the context-free questions that would be used during project inception?
 - a) What will be the economic benefit from a good solution?
 - b) Who is behind the request for work?
 - c) Who will pay for the work?
 - d) Who will use the solution?
- 7. Non-functional requirements can be safely ignored in modern software development projects.
 - a) True
 - <mark>b) False</mark>

- 8. In collaborative requirements gathering the facilitator
 - a) arranges the meeting place
 - b) cannot be a customer
 - c) controls the meeting
 - d) must be an outsider
- 9. Which of the following is not one of the requirement classifications used in Quality Function Deployment (QFD)?
 - a) exciting
 - b) expected
 - <mark>c) mandatory</mark>
 - d) normal
- 10. The work products produced during requirement elicitation will vary depending on the
 - a) size of the budget.
 - b) size of the product being built.
 - c) software process being used.
 - d) stakeholders needs.
 - e) both a and b
- 11. User stories are complete descriptions the user needs and include the non-functional requirements for a software increment.
 - <mark>a) True</mark>
 - b) False
- 12. Developers and customers create use-cases to help the software team understand how different classes of end-users will use functions.
 - <mark>a) True</mark>
 - b) False
- 13. Use-case actors are always people, never system devices.
 - a) True
 - b) False
- 14. The result of the requirements engineering task is an analysis model that defines which of the following problem domain(s)?
 - a) informational
 - b) functional
 - c) behavioral
 - d) all of the above

- 15. Analysis patterns facilitate the transformation of the analysis model into a design model by suggesting reliable solutions to common problems.
 - <mark>a) True</mark>
 - b) False
- 16. In agile process models requirements engineering and design activities are interleaved.
 - <mark>a) True</mark>
 - b) False
- 17. In win-win negotiation, the customer's needs are met even though the developer's need may not be.
 - a) True
 - <mark>b) False</mark>
- 18. In requirements validation the requirements model is reviewed to ensure its technical feasibility.
 - a) True
 - <mark>b) False</mark>
- 19. The most common reason for software project failure is lack of functionality.
 - a) True
 - b) False
- 20. Requirements engineering encompasses seven distinct tasks:
 - a) inception, information, elaboration, negotiation, specification, validation, and management
 - b) inception, elicitation, function, negotiation, specification, validation, and management
 - c) inception, elicitation, elaboration, specification, validation, and management
 - d) inception, elicitation, elaboration, negotiation, specification, validation, and management
- 21. What is quality function deployment?
 - a) software engineering term that refers to documented links between software engineering work products
 - b) a technique that attempts to translate unspoken customer needs or goals into system requirements
 - c) continuity for developers as a project moves from one project phase to another
 - d) rows of a traceability matrix

- 22. All of the following are examples of negotiating guidelines except:
 - a) Recognize that it's not a competition.
 - b) Map out a strategy.
 - c) Do whatever it takes.
 - d) Listen actively.
- 23. Requirements monitoring encompasses all of the following tasks except:
 - a) Domain delivery
 - b) Distributed debugging
 - c) Business activity debugging
 - d) Run-time validation
- 24. The intent of agile requirements engineering is to transfer ______ from stakeholders to the software team.
 - a) information
 - b) tasks
 - c) behavior
 - <mark>d) ideas</mark>

- 1. Which of these is not an element of a requirements model?
 - a) behavioral elements
 - b) class-based elements
 - c) data elements
 - d) scenario-based elements
- 2. Which of the following is not an objective for building a requirements model?
 - a) define set of software requirements that can be validated
 - b) describe customer requirements
 - c) develop an abbreviated solution for the problem
 - d) establish basis for software design
- 3. Object-oriented domain analysis is concerned with the identification and specification of reusable capabilities within an application domain.
 - <mark>a) True</mark>
 - b) False
- 4. In structured analysis models focus on the structure of the classes defined for a system along with their interactions.
 - a) True
 - <mark>b) False</mark>
- 5. Creation and refinement of use cases if an important part of scenario-based modeling.
 - a) True
 - b) False
- 6. It is important to consider alternative actor interactions when creating a preliminary use case.
 - a) True
 - b) False
- 7. Brainstorming is one technique that may be used to derive a complete set of use case exceptions.
 - <mark>a) True</mark>
 - b) False
- 8. In many cases there is no need to create a graphical representation of a usage scenario.
 - <mark>a) True</mark>
 - b) False

- 9. UML activity diagrams are useful in representing which analysis model elements?
 - a) Behavioral elements
 - b) Class-based elements
 - c) Flow-based elements
 - d) Scenario-based elements
- 10. UML swimnlane diagrams allow you to represent the flow of activities by showing the actors having responsibility for creating each data element.
 - a) True
 - <mark>b) False</mark>

- 11. Which of the following should be considered as candidate objects in a problem space?
 - a) Events
 - b) People
 - c) Structures
 - d) All of the above
- 12. In the grammatical parse of a processing narrative the nouns become object candidates in the analysis model.
 - <mark>a) True</mark>
 - b) False
- 13. Attributes are chosen for an object by examining the problem statement and identifying the entities that appear to be related.
 - a) True
 - <mark>b) False</mark>
- 14. Which of the following is not one of the broad categories used to classify operations?
 - a) Computation
 - b) Data manipulation
 - c) Event monitors
 - <mark>d) Transformers</mark>
- 15. Collaborators in CRC modeling are those classes needed to fulfill a responsibility on another card.
 - a) True
 - b) False
- 16. Which of the following items does not appear on a CRC card?
 - a) Class collaborators
 - b) Class name
 - c) Class reliability
 - d) Class responsibilities
- 17. Class responsibilities are defined by
 - a) Its attributes only
 - b) Its collaborators
 - c) Its operations only
 - d) Both its attributes and operations
- 18. A stereotype is the basis for class reuse in UML modeling.
 - a) True
 - b) False

- 19. An analysis package involves the categorization of analysis model elements into useful groupings.
 - <mark>a) True</mark>
 - b) False

- 20. The behavior modeling is only used in the analysis of real-time systems.
 - a) True
 - <mark>b) False</mark>
- 21. For purposes of behavior modeling an event occurs whenever
 - a) a state and process exchange information.
 - b) the system an actor exchange information.
 - c) two actors exchange information.
 - d) two objects exchange information.
- 22. For purposes of behavior modeling a state is any
 - a) consumer or producer of data.
 - b) data object hierarchy.
 - c) observable mode of behavior.
 - d) well defined process.
- 23. The state transition diagram
 - a) depicts relationships between data objects
 - b) depicts functions that transform the data flow
 - c) indicates how data are transformed by the system
 - d) indicates system reactions to external events
- 24. The UML sequence diagram shows the order in which system events are processed.
 - a) True
 - <mark>b) False</mark>
- 25. Analysis patterns are discovered, they are not explicitly created.
 - <mark>a) True</mark>
 - b) False
- 26. It is not possible to justify the time required for mobile app requirements analysis.
 - a) True
 - <mark>b) False</mark>
- 27. Which is not one of the analysis activities that is used to create a complete analysis model?
 - a) Configuration analysis
 - b) Content analysis
 - c) Functional analysis
 - d) Market analysis

- 28. Content objects are extracted from use cases by examining the scenario description for direct or indirect content references.
 - <mark>a) True</mark>
 - b) False
- 29. What are the elements of a WebApp interaction model?
 - a) activity diagrams, sequence diagrams, state diagrams, interface prototype
 - b) activity diagrams, collaboration diagrams, sequence diagrams, state diagrams
 - c) use-cases, sequence diagrams, state diagrams, interface prototype
 - d) use-cases, sequence diagrams, state diagrams, sequence diagrams
- 30. UML activity diagrams can be used to represent the user observable functionality delivered by the WebApp as well as the operations contained in each analysis class.
 - <mark>a) True</mark>
 - b) False
- 31. Configuration analysis focuses on the architecture of the user's web browsing environment.
 - a) True
 - <mark>b) False</mark>